


CONTAINERISED HYBRID POWER SYSTEM









FEATURES

All-In-One design, highly integrated, plug and play, compatible with many brands of diesel/gas engines.

Built-in 13.3 inch touch screen, remote monitoring, control, diagnosis, and maintenance.

EMS controls generator to run at its highest efficiency power rating, then turns off.

Reduce fuel consumption, lower carbon emissions, contribute to sustainable development goals. Optional cloud platform: remote maintenance, realtime big data analysis, integration control on cloud and edge devices.

The generator can be periodically turned off for maintenance requirements, or to provide silent operation overnight.






SPECIFICATION

Technical parameters		
Model	HPS-250-430	
Electrical Parameters		
PCE Power	250 kVA: Continuous 2750 kVA: 10 minutes 300 kVA: 1 minute 313 kVA: 10 seconds 375 kVA: 0.2 seconds	
Continuous AC Current	361 A	
Peak AC Current (0.2s)	541 A	
AC Fault Current	800 A	
Rated Voltage	400 VAC	
Wiring Method	Three-phase 3P + N + PE	
On/Off-grid Switching Settings	Yes	
On/Off-grid Switching Time	20ms + contactor switching time	
Battery Parameters		
Battery Energy Storage	430 kWh	
Battery Type	Lithium-iron phosphate (LFP)	
Nominal Voltage	768 V	
Maximum Continuous Charge	1C @ 25°C	
Maximum Continuous Discharge	1C @ 25°C	
Working Temperature Range	Charge: 0°C ~ 50°C Discharge: -20°C ~ 50°C	
System Parameters		
System Size (W x H x D)	4,550 × 2,591 × 2,438 mm	
Weight (max)	< 8 tonnes	
Ingress Protection Degree	IP 55	
Certification	AS/NZS 4777.2, IEC62619, IEC61000, IEC62477, IEC 63056, NRS-097, UN38.3	
Altitude	5,000 m (Derating above 3,000 m)	
Communication	RS485, Ethernet, CAN2.0	






APPEARANCE



Images above show our standard size 10' container.

Position	Description
1	HMI observation glass window
2	Cooling air inlet
3	Sound and light alarm
4	Communication cable junction
5	External electrical main switch
6	Industrial power terminal block
7	Cooling air outlet
8	Transformer cooling
9	Air conditioning



powertech.com.au

